

Sheet 1 of 3 of List of References

## LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY. DOCKET NO. 10589-012-999	APPLICATION NO. 10/543,033			
APPLICANT Cao et al.				
FILING DATE July 21, 2005	ART UNIT 1651			

	U.S. PATENT DOCUMENTS					
*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR	
	A44	5,444,149	08/22/95	Keene et al.		
	A45	5,587,300	12/24/96	Malter		
	A46	5,698,427	12/16/97	Keene et al.		
	A47	5,731,343	03/24/98	Feng et al.		
	A48	6,635,671	10/21/03	Kastelic et al.		

FOREIGN PATENT DOCUMENTS						
	FOREIGN PATENT DOCUMENT COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR	Т	
В08	WO 98/39484	09/11/98	Scriptgen Pharmaceuticals, Inc.			
B09	GB 9828709.7	12/24/98	Novartis AG			
B10	GB 9828707.1	12/24/98	Novartis AG			
	B09	DOCUMENT COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)  B08 WO 98/39484  B09 GB 9828709.7	FOREIGN PATENT   DOCUMENT   COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)   DATE   B08   WO 98/39484   09/11/98   B09   GB 9828709.7   12/24/98	FOREIGN PATENT   DOCUMENT   COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)   DATE   NAME	FOREIGN PATENT DOCUMENT COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN) DATE NAME  B08 WO 98/39484 09/11/98 Scriptgen Pharmaceuticals, Inc.  B09 GB 9828709.7 12/24/98 Novartis AG	

Examiner								
Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T					
	C193	AKASHI et al., 1994, "Number and Location of AUUUA Motifs: Role in Regulating Transiently Expressed						
		RNAs." Blood 83:3182-3187 Am soc. Of Hemat.						
	C194	AUWERX et al., 1991, "The human leukemia cell line, THP-1: A multifaceted model for the study of						
	0.7.	monocyte-macrophage differentiation." Experientia 47:22-31 Birkhauser Verlag Basel						
	C195	B T 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T						
	0.75	Derived UA-Rich Instability Sequences." Biochem. Biophys Res. Commun. 152:973-980						
	C196	PREDICTION OF THE PROPERTY OF						
	0.70	Patents 8(12): 1695-1706	1					
	C197	CHEN et al., 1994, "Selective Degradation of Early-Response-Gene mRNAs: Functional Analyses of Sequence						
	1017	Features of the AU-rich elements." Mol. Cell. Biol. 14: 8471-8482	1					
	C198	CHEN et al., 1995, "AU-rich elements: characterization and importance in mRNA degradation." TIBS 20:465-	1					
	10176	470						
	C199	CHO et al., 2002, "Emerging techniques for the discovery and validation of therapeutic targets for skeletal	$\top$					
	"	diseases" Expert Opin. Ther. Targets 6(6):679-689	1					

EXAMINER	
NYI-4113940v1	

DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 2 of 3 of List of References

	ATTY. DOCKET NO.	APPLICATION NO.	
LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	10589-012-999	10/543,033	
	APPLICANT		
	Cao et al.		
	FILING DATE	ART UNIT	
	July 21, 2005	1651	

NON PATENT LITERATURE DOCUMENTS					
Examiner			_		
Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)  CRAWFORD et al., 1997, "The Role of 3' Poly (A) Tail Metabolism in Tumor Necrosis Factor-α Regulation," J	T		
	C200	Biol. Chem. 272:21120-21127. The Am Soc of Biochem. And Molec. Biol.			
	G201	FAN et al., 1998, "Overepxression of HuR, a nuclear-cytoplasmic shuttling protein, increases <i>in vivo</i> stability of	<del> </del>		
	C201	ARE-containing mRNAS." EMBO J 17:3448-3460			
	C202	FORYSTHE et al., 1996, "Activation of Vascular Endothelial Growth factor Gene Transcription by Hypoxia-	<del> </del>		
	C202	Inducible Factor 1." Mol and Cell. Biol. 16(9):4604-4613			
	C203	GIL et al., 1996, "Multiple regions of the Arabidopsis Saur-AC1 gene control transcript abundance: the 3'	<u> </u>		
	1 0203	untranslated region functions as an mRNA instability determinant." EMBO J 15:1678-1686			
	C204	HEATON et al., 1998, "Cyclic Nucleotide Regulation of Type-1 Plasminogen Activator-Inhibitor mRNA			
	020.	stability in Rat Hepatoma Cells." J Biol. Chem. 273:14261-14268.			
	C205	HYDER et al., 2000, "Identification of Functional Estrogen Response Elements in the Gene Coding for the			
		Potent Angiogenic Factor Vascular Endothelial Growth Factor," Cancer Res 60:3183-3190			
	C206	IIDA et al., 2002, "Vascular endothelial growth factor gene expression in a retinal pigmented cell is up-regulated			
		by glucose deprivation through 3' UTR." Life Sciences 71:1607-1614			
	C207	KLAUSNER et al., 1993, "Regulating the Fate of mRNA: The control of Cellular Iron Metabolism" Cell 72:19-	1		
		28	-		
	C208	KOBAYASHI et al., 1998, "Characterization of the 3' Untranslated region of mouse DNA topoisomerase IIα			
	_	mRNA," Gene 215:329-337	₩		
	C209	LAGNADO et al., 1994, "AUUUA is Not sufficient to promote Poly(A) Shortening and Degradation of mRNA:			
		the Functional Sequence within the AU-rich elements may be UUAUUUA(U/A) (U/A)" Mol. Cell. Biol. 14: 7984-7995			
		LEVY et al., 1995, "Sequence and functional characterization of the terminal exon of the human insulin receptor	-		
	C210	gene." Biochem Biophys Acta 1263:253-257			
	C211	LEVY et al., 1996, "Post-transcriptional Regulation of Vascular Endothelial Growth Factor by Hypoxia." J.	+		
	CZII	Biol. Chem. 271:2746-2753			
	C212	Level 1 1000 We I collect to the Collection of t	1		
	CZIZ	Protein HuR." J Biol. Chem. 273(11):6417-6423			
	C213	LEWIS et al., 1998, "Mapping of a Minimal AU-rich Sequence Required for Lipopolysaccharide-induce binding			
	02.13	of a 55-kDA protein on tumor necrosis Factor-α mRNA." J Biol. Chem. 273:13781-13786			
	C214	NANBU et al., 1994, "Multiple Instability-Regulating Sites in the 3'Untranslated Region of the Urokinase-Type			
		Plasminogen activator mRNA." Mol. Cell. Biol. 14:4920-4928			
	C215	SACHS et al., 1993, "Messenger RNA Degradation in Eukaryotes." Cell 74:413-421	Π		
	C216	SAMBROOK et al., 1989, "Standard protocol for calcium phosphate-mediated transfection of adherent cells."	+		
	C216	Molec. cloning 16:3316-37	1		
	C217	SHAW & KAMEN, 1986, "A conserved AU sequence from the 3' Untranslated Region of GM-CSF mRNA	+		
	0217	mediates selective mRNA degradation." Cell 46:659-667	1		
	C218	CHINAL LA LOOT WITH THE LANGE OF THE LANGE OF THE LOOP	1		
	0218	in rapid mRNA decay." Genes Dev 5:221-231			
	C219		1		
	1 217	decay." J Biol. Chem. 269:28591-28597	1		

EXAMINER
NYI-4113940v1

DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 3 of 3 of List of References

## LIST OF REFERENCES CITED BY APPLICANT


(Use several sheets if necessary)

ATTY. DOCKET NO. 10589-012-999	APPLICATION NO. 10/543,033			
APPLICANT Cao et al.				
FILING DATE July 21, 2005	ART UNIT			

	NON PATENT LITERATURE DOCUMENTS				
Examiner Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	Т		
	C220	STOLLE et al., 1988, "Cellular Factor affecting the stability of β-globin mRNA." Gene 62:65-74			
	C221	SULLIVAN et al., 1996, "Mutational analysis of the DST element in tobacco cells and transgenic plants: Identification of residues critical for mRNA instability," RNA 2:308-315			
	C222	WINSTALL et al., 1995, "Rapid mRNA Degradation Mediated by the c-fos 3' AU-Rich element and that mediated by the Granulocyte-Macrophage Colony-Stimulating Factor 4' AU-Rich Element occur through similar Polysome-Associated Mechanisms" Mol. Cell. Biol. 15:3796-3804			
	C223	XU et al., 1997, "Modulation of the Fate of Cytoplasmic mRNA by AU-Rich elements key sequence Features Controlling mRNA Deadenylation and Decay." Mol. Cell. Biol. 17:4611-4621			
	C224	ZHANG et al., 1996, "An enhanced green fluorescent protein allows sensitive detection of gene transfer in mammalian cells." BBRC 227:707-11			
	C225	ZHANG et al., 1995, "Identification and Characterization of a Sequence motif involved in nonsense-mediated mRNA decay" Mol. Cell. Biol. 15:2231-2244			
	C226	THE COLD COLD IN THE COLD IN T			
	C227	10 10 10 10 10 10 10 10 10 10 10 10 10 1			

EXAMINER	
NYI-4113940v	1

DATE CONSIDERED



Sheet 1 of 3 of List of References

OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY. DOCKET NO. APPLICATION NO. 10589-012-999 10/543,033

APPLICANT
Cao et al.

Cao et al.

FILING DATE
July 21, 2005

artunit 1651

**U.S. PATENT DOCUMENTS** 

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR
	A44	5,444,149	08/22/95	Keene et al.	
	A45	5,587,300	12/24/96	Malter	
	A46	5,698,427	12/16/97	Keene et al.	
	A47	5,731,343	03/24/98	Feng et al.	
	A48	6,635,671	10/21/03	Kastelic et al.	

			FOREIG	N PATENT DOCUMENTS		
		FOREIGN PATENT DOCUMENT COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR	т
	B08	WO 98/39484	09/11/98	Scriptgen Pharmaceuticals, Inc.		
	B09	GB 9828709.7	12/24/98	Novartis AG		
	B10	GB 9828707.1	12/24/98	Novartis AG		
i		l	L			i

Examiner			
Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
	C193	AKASHI et al., 1994, "Number and Location of AUUUA Motifs: Role in Regulating Transiently Expressed RNAs." Blood 83:3182-3187 Am soc. Of Hemat.	
	C194	AUWERX et al., 1991, "The human leukemia cell line, THP-1: A multifaceted model for the study of monocyte-macrophage differentiation." Experientia 47:22-31 Birkhauser Verlag Basel	
	C195	BEUTLER et al., 1988, "Assay of Ribonuclease that preferentially hydrolyses mRNAs Containing Cytokine- Derived UA-Rich Instability Sequences." Biochem. Biophys Res. Commun. 152:973-980	
	C196	BRENCHLEY, 1998, "Antagonizing the expression of VEGF in pathological angiogenesis," Exp. Opin Ther. Patents 8(12): 1695-1706	
	C197	CHEN et al., 1994, "Selective Degradation of Early-Response-Gene mRNAs: Functional Analyses of Sequence Features of the AU-rich elements." Mol. Cell. Biol. 14: 8471-8482	
	C198	CHEN et al., 1995, "AU-rich elements: characterization and importance in mRNA degradation." TIBS 20:465-470	
	C199	CHO et al., 2002, "Emerging techniques for the discovery and validation of therapeutic targets for skeletal diseases" Expert Opin. Ther. Targets 6(6):679-689	

<b>EXAM</b>	INER
NVIAL	13940v1

NOV 1 7 2008

**DATE CONSIDERED** 

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 2 of 3 of List of References

	ATTY. DOCKET NO. 10589-012-999	APPLICATION NO. 10/543,033	
Use several sheets if necessary)	APPLICANT Cao et al.		
1 7 2008	FILING DATE July 21, 2005	ART UNIT 1651	

PADEMARK	7	NON PATENT LITERATURE DOCUMENTS	
Examiner Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	Т
	C200		
	C201	FAN et al., 1998, "Overepxression of HuR, a nuclear-cytoplasmic shuttling protein, increases <i>in vivo</i> stability of ARE-containing mRNAS." EMBO J 17:3448-3460	
	C202	FORYSTHE et al., 1996, "Activation of Vascular Endothelial Growth factor Gene Transcription by Hypoxia- Inducible Factor 1." Mol and Cell. Biol. 16(9):4604-4613	
	C203	GIL et al., 1996, "Multiple regions of the <i>Arabidopsis</i> Saur-AC1 gene control transcript abundance: the 3' untranslated region functions as an mRNA instability determinant." EMBO J 15:1678-1686	
	C204	HEATON et al., 1998, "Cyclic Nucleotide Regulation of Type-1 Plasminogen Activator-Inhibitor mRNA stability in Rat Hepatoma Cells." J Biol. Chem. 273:14261-14268.	
	C205	HYDER et al., 2000, "Identification of Functional Estrogen Response Elements in the Gene Coding for the Potent Angiogenic Factor Vascular Endothelial Growth Factor," Cancer Res 60:3183-3190	
	C206	by glucose deprivation through 3' UTR." Life Sciences 71:1607-1614	
	C207	KLAUSNER et al., 1993, "Regulating the Fate of mRNA: The control of Cellular Iron Metabolism" Cell 72:19-28	
	C208	KOBAYASHI et al., 1998, "Characterization of the 3' Untranslated region of mouse DNA topoisomerase IIα mRNA," Gene 215:329-337	
	C209	D 1 (1) C D 1 (1	
	C210	LEVY et al., 1995, "Sequence and functional characterization of the terminal exon of the human insulin receptor gene." Biochem Biophys Acta 1263:253-257	
	C211	TRUE A 1000 (ID. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
<del></del>	C212		
	C213		
	C214		
h <del> </del>	C215		
	C216	SAMBROOK et al., 1989, "Standard protocol for calcium phosphate-mediated transfection of adherent cells."  Molec. cloning 16:3316-37	
-	C217	COLLEGE DATE OF THE COLLEGE DATE	
	C218	CITATION AND THE STATE OF THE S	
	C219	OTTOTOM N	

EXAMINER NYI-4113940v1	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 3 of 3 of List of References

OF REFERENCES CITED BY APPLICANT
(Use several sheets if necessary)

ATTY. DOCKET NO. APPLICATION NO. 10589-012-999 10/543,033

APPLICANT

Cao et al.

FILING DATE
July 21, 2005

ART UNIT

NOV 1 7 2008

C220

C221

C223

C224

C225

C226

C227

2004

Examiner

Initials

## NON PATENT LITERATURE DOCUMENTS (Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.) T STOLLE et al., 1988, "Cellular Factor affecting the stability of β-globin mRNA." Gene 62:65-74 SULLIVAN et al., 1996, "Mutational analysis of the DST element in tobacco cells and transgenic plants: Identification of residues critical for mRNA instability," RNA 2:308-315 WINSTALL et al., 1995, "Rapid mRNA Degradation Mediated by the c-fos 3' AU-Rich element and that mediated by the Granulocyte-Macrophage Colony-Stimulating Factor 4' AU-Rich Element occur through similar Polysome-Associated Mechanisms" Mol. Cell. Biol. 15:3796-3804 XU et al., 1997, "Modulation of the Fate of Cytoplasmic mRNA by AU-Rich elements key sequence Features Controlling mRNA Deadenylation and Decay." Mol. Cell. Biol. 17:4611-4621 ZHANG et al., 1996, "An enhanced green fluorescent protein allows sensitive detection of gene transfer in mammalian cells." BBRC 227:707-11 ZHANG et al., 1995, "Identification and Characterization of a Sequence motif involved in nonsense-mediated mRNA decay" Mol. Cell. Biol. 15:2231-2244 Written Opinion of the International Searching Authority dated July 14, 2008 in the PCT Application No. PCT/US04/01643 filed January 21, 2004

International Search Report dated July 14, 2008 in the PCT Application No. PCT/US04/01643 filed January 21,

EXAMINER
NY1-4113940vI

**DATE CONSIDERED**